

AD-A071 127

NAVAL HEALTH RESEARCH CENTER SAN DIEGO CA
MARINE CORPS OUTPATIENTS: A DILEMMA FOR NAVY PSYCHIATRY.(U)
AUG 76 D EDWARDS, N H BERRY, J HARDY
NAVHLTHRSCHC-76-49

F/G 6/5

UNCLASSIFIED

NL

| OF |
AD
A071127



END
DATE
FILMED

8-79
DDC

AD A071127

MARINE CORPS OUTPATIENTS: A DILEMMA FOR NAVY PSYCHIATRY

LEVEL

D. EDWARDS

N. H. BERRY


J. HARDY

S. FICHMAN

See 1473 in back

REPORT NO. 76-49

DDC FILE COPY



NAVAL HEALTH RESEARCH CENTER

P.O. Box 85122
SAN DIEGO, CALIFORNIA 92152
San Diego, CA 92152

NAVAL MEDICAL RESEARCH AND DEVELOPMENT COMMAND

BETHESDA, MARYLAND

79 07 11 03 1

Marine Corps Outpatients:
A Dilemma for Navy Psychiatry¹

Darrel Edwards, Newell H. Berry, Judith Hardy, and Susan Fichman

Naval Health Research Center

San Diego, California

Accession For	
NTIS GRA&I	<input checked="checked" type="checkbox"/>
DDC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or special
A	

¹ The views presented in the paper are those of the author. No endorsement by the Department of the Navy has been given or should be inferred.

Report No. 76-49

Marine Corps Outpatients:
A Dilemma for Navy Psychiatry

Marine Corps outpatients present a unique problem for Navy psychiatry. Very often the enlisted Marine sent to psychiatry is a disciplinary problem. Large numbers of these men are diagnosed personality disorder and returned to duty. Men seen by outpatient psychiatry are returned to the command which sent them, thus, putting the Marine back into the environment within which he had experienced difficulty. The outcome associated with returning a Marine to duty from outpatient psychiatry was studied in this report. It is difficult to evaluate Marine, psychiatric patients.^{1, 2} Statistical evaluation of Inpatient psychiatric screening of Marines did not yield good discrimination between predictors and outcome. This dilemma presented to Navy psychiatrists by the enlisted Marine outpatient provided the stimulus for this report.

Method

Subjects.

A sample of 862 enlisted Marines sent to 15 facilities between October, 1971 and February, 1973 was studied. These men filled out a form containing demographic and attitudinal information, items from the Health Opinion Survey,³ and personal expectational statement regarding this visit to the psychiatrist.

The examining psychiatrist also filled out a form on each man giving a statement of the problem, motivational information, a diagnosis, and a recommended disposition.

Procedure

The demographic profile of the sample was determined and the proportions of diagnostic cases and dispositions were computed. Follow-up information over a two-year criterion period was gathered. Current military status or type of discharge was included in the follow-up. A successful outcome was defined by either (a) the service member remaining on active duty at least two years or (b) completing his enlistment with a recommendation for reenlistment. Failure was defined as being discharged for unfitness, unsuitability, psychiatric problems, or otherwise not recommended for reenlistment.

Results

The demographic characteristics of the sample are summarized in Table 1. The men were mature (22.0 years), corporal or sergeant, generally in their first or second enlistment with high school education in 67% of the cases.

Insert Table 1 about here

The diagnostic breakdown and dispositional recommendations are presented in Table 2. Personality disorder was the diagnosis for 51% of the sample. The

Table 1

Demographic Characteristics of Marines In the Outpatient Sample

Variable

Age

17-19	35%
20-25	57%
26-30	5%
31+	3%

Pay Grade

E-1 to E-2	27%
E-3	23%
E-4 to E-5	22%
E-6++	28%

Years' Service 4.8^a

Single 2.8^b

Education

Less than high school graduation	57%
High school graduation	32%
Any college	11%

Any present health problems 40% Yes

^a Mean

^b Standard deviation

percentage recommended for return to duty was 57%. Twenty-three percent were recommended for administrative separations from the service. Eight percent were recommended for inpatient treatment, 8% for outpatient treatment, and 4% were considered not psychiatric cases with recommendation for referral to another medical service.

Insert Table 2 about here

Seventy-nine percent of the sample were being screened for reasons which might lead to discharge from service, but only 49% of the men stated clearly that they expected a discharge. The psychiatrists' judgments on the motivations and attitude paralleled the explicit statements of the men. Generally, 50% of the sample was seen as having severe motivation or attitude problems. These men expected to be discharged from service and the psychiatrists' agreed with the men's perceptions.

Diagnosis ($r = .48$), motivation for duty ($r = .35$), motivation for treatment ($r = .28$), general attitude ($r = .27$), and wondering if anything was worthwhile ($r = .18$) were related to the recommended disposition made by the psychiatrist. Men diagnosed as situational, no diagnosis, or characterological were more likely to be returned to duty. Higher motivation and better attitude within these groups increased the likelihood of being returned to duty. The decisions to return a man to duty followed conventional prognostic guidelines.

Table 2

3a

Marine Corps Outpatient Characteristics

<u>Variable</u>			
<u>Diagnosis</u>		<u>Percent</u>	
Psychosis	3%	Screening for special duty	1%
Neurosis	4%	Family problems	6%
Alcoholism	1%	Competency for discipline	6%
Personality Disorder	51%	Other	5%
Situational Maladjustment	14%	<u>Motivation for Duty</u>	
No Diagnosis	22%	Seeking discharge	25%
Psychogenic	5%	Hopes to be discharged	20%
<u>Recommended Disposition</u>		Will stay in if coerced	3%
Return to Duty	57%	Will stay if situation improves	7%
Administrative Separation	23%	Will finish this enlistment	29%
Inpatient Treatment	8%	Career	16%
Referral	4%	<u>Motivation for Treatment</u>	
Outpatient Treatment	8%	1. No motivation	23%
<u>Referral Source</u>		2. Not needed	31%
Self	32%	3. Confused	20%
Medical Officer	35%	4. Others are insisting on treatment	3%
Clergy	11%	5. Wants help	21%
Spouse	7%	6. Early insight	2%
Other	15%	<u>General Attitude</u>	
<u>Reason for Referral</u>		1. Hates authority	14%
Screening for administrative separation	29%	2. Escapes	16%
Screening for emotional disorder	26%	3. Authority problem	17%
Screening for drug amnesty	18%	4. Temporary maladjustment	18%
		5. Needs direction	19%
		6. Conforms readily	16%

Outcome data presented some startling information. Using the defined criteria for success, $\frac{1}{3}$ of all the men who had been discharged would have been judged as successful. A closer examination revealed that 53% of the sample returned to duty completed their enlistment, but were not given the opportunity to reenlist. Further examination also revealed that 14% of the men returned to duty were on active duty after two years. Over half of them who completed their enlistment served over one year after seeing the psychiatrist, but were not permitted to reenlist. While 16 percent of the sample indicated that they were career motivated, only 7% of those who completed the service contract after being returned to duty were allowed to reenlist in the Marine Corps.

Summary and Conclusions

It was not surprising to find that diagnosis, motivation for duty and motivation for treatment are important variables in the disposition of these outpatients.² The low success rate suggests a poor prognosis for enlisted Marine outpatients returned to duty. Navy psychiatrists might be alerted to the risk they ask a service member to take in returning that member to duty. Many senior men were not allowed to continue their service after experiencing any crisis which led to a psychiatric consultation. These results parallel the findings of Berry, et al² which indicate that senior men in the Marine corps have as poor a prognosis from the psychiatric sick list as do E-1 and E-2 rates. Careful consideration should be given to understanding the dynamics of the Marine Corps which result in failure of so many men after being seen in a psychiatric outpatient service.

References

1. Elliott, D. R. Differentiating psychiatric consultees from effective aviation Marines using pre-enlistment data. U. S. Navy Medicine, 1973, 61, 26-31.
2. Berry, N. H., Edwards, D., Iorio, V., and Gunderson, E. K. E. A study of Navy and Marine Corps personnel admitted to the psychiatric sick list Report 72-1. Navy Medical Neuropsychiatric Research Unit, San Diego, California, 92152.
3. Gunderson, E. K. E., Arthur, R. D., Wilkins, W. L. A mental health survey instrument: The Health Opinion Survey. Military Medicine, 1968, 133, 306-311.
4. Wichlacz, C. R., Jones, F. D., and Strayer, S. J. Psychiatric predictions and recommendations: A longitudinal study of character and behavior disorder patients. Military Medicine, 1972, 137, 54-58.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 76-49	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) (6) Marine Corps Outpatients: A Dilemma for Navy Psychiatry		5. TYPE OF REPORT & PERIOD COVERED (9) Final Repts
7. AUTHOR(s) (10) Darrel Edwards, Newell H./Berry, Judith/Hardy, Susan Fichman		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Health Research Center P.O. Box 85122 San Diego, CA 92138		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Medical Research and Development Command Bethesda, Maryland		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS (16) MPN03,07-3013 (17) 87
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Bureau of Medicine and Surgery Dept. of Navy Washington, D. C. 20375 (12) 17 P'		12. REPORT DATE August 1976 13. NUMBER OF PAGES 5
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		15. SECURITY CLASS. (of this report) unclassified
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) Approved for public release; distribution unlimited.		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
18. SUPPLEMENTARY NOTES (14) NAVHLTHRSCHC-76-49		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) psychiatric screening, outpatient psychiatry, effectiveness, occupational psychiatry, Marine Corps psychiatric problems		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) In a period in which service strengths may be difficult to maintain, careful consideration might be given to keeping career oriented men in the service who have demonstrated the ability to perform effectively. A sample of 862 enlisted Marines sent to outpatient psychiatrists for consultation were studied to determine which men could continue to serve effectively. The outcome data revealed that those men who had been returned to duty and had completed their enlistment were successful only 7% of the time. Only 3% of the men who had		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102 LF 014 6601

unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

391 642

slt

unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

2 been discharged for any reason were considered successful -- were able to reenlist. Fourteen percent of the men returned to duty were still at duty two years later and were considered as occupationally effective. The extremely high ineffectiveness rate raises questions about the Marine Corps policies which may lead to a high rate of loss of men who could continue a career in the Marine Corps.

unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)